


SafetyCaps 2.0 The next Level!



THE System for Solvent Safety



* Air valve and Fittings for tubing connection are included in delivery.







Part No.	Description	Unit	Thread size	Connections for Ø 3.2 mm (1/8") OD tubing	Blind plugs for tubing connections
307 019	SafetyCap I (V 2.0) *	1	GL 45	1x	-
307 909	SafetyCap II (V 2.0) *	1	GL 45	2x	1x
307 910	SafetyCap III (V 2.0) *	1	GL 45	3x	2x
307 410	SafetyCap IV (V 2.0) *	1	GL 45	4x	2x
307 520	SafetyCap VI (V 2.0) *	1	GL 45	6x	2x
317 010	Air valve for SafetyCaps	1	UNF 1/4" 28G	-	-
397 010	Air valve for SafetyCaps	10	UNF 1/4" 28G	-	-
107 063	Fitting for \varnothing 3.2 mm OD tubing, blue	5	UNF 1/4" 28G	-	-
107 060	Fitting for \varnothing 3.2 mm OD tubing, black	5	UNF 1/4" 28G	-	-
107 065	Fitting for \varnothing 3.2 mm OD tubing, yellow	5	UNF 1/4" 28G	-	-
160 501	Blind plug for tubing connections	10	UNF 1/4" 28G	-	-



Phone

+49 (0) 61 05 / 30 55 86 - 0



info@scat-europe.com



www.scat-europe.com

SafetyCaps 2.0 HPLC Starter Kits



- Price advantage compared to single order
- Suitable for all common HPLC systems (independent of manufacturer)

Use blind plugs (included) to lock unused connections









Fig.	Part No.	Description	Content	Unit	Thread size	Connections for Ø 3.2 mm OD tubing
A 399		Starter-Kit-Supply-S1	SafetyCap I (V 2.0)	3x	GL 45	1 x
	399 200		SafetyCap II (V 2.0)	1x	GL 45	2x
			Blind plug for tubing connection	1x	UNF 1/4" 28G	-
B 399	399 201	Starter-Kit-Supply-S2	SafetyCap II (V 2.0)	4x	GL 45	2x
	399 201		Blind plug for tubing connection	4x	UNF 1/4" 28G	-




S.C.A.T. Europe GmbH Opelstrasse 3 64546 Mörfelden-Walldorf Germany

Phone: +49 (0) 61 05 / 30 55 86 - 0

₹ e-Mail: info@scat-europe.com

♦ Internet: www.scat-europe.com





#200127 / 23082019